

FIWARE training

fiwre-cosmos 1.0.0



www.fiware.org
[@Fiware](https://twitter.com/Fiware) 




francisco.romerobueno@telefonica.com

Global instance of Cosmos Big Data in FIWARE Lab

- Hadoop-based
 - Hortonworks Data Platform 2.1
- Split storage and computing sub-clusters
 - This allows for reusing the storage part by other technologies
 - Even, moving the computing cluster to Openstack Sahara
- Each sub-cluster exposes a single service endpoint
 - Storage endpoint (storage.cosmos.lab.fiware.org)
 - WebHDFS API through HttpFS (TCP/14000)
 - Computing endpoint (computing.cosmos.lab.fiware.org)
 - Auth API (TCP/13000)
 - Tidoop API (TCP/12000)
 - HiveServer2 (TCP/10000)
- All exposed services require OAuth2 authentication
 - A OAuth2 token issued by the IdM or the Auth endpoint must be added to all requests
- All exposed services perform user-based authorization
 - Authenticated users can only access `/user/<userID>` URIs

Global instance of Cosmos in FIWARE Lab



Using the computing endpoint: Auth API

- First of all, an OAuth2 token must be obtained for authentication purposes in other APIs
- The computing endpoint runs a process in charge of interfacing the global Identity Manager
 - Firstly, such a service process authenticates itself
 - Then, the token is requested using user given credentials and forwarded to the user

```
$ curl -X POST "https://  
computing.cosmos.lab.fiware.org:13000/cosmos-auth/  
v1/token" -H "Content-Type: application/x-www-  
form-urlencoded" -d  
"grant_type=password&username=<idm_email>&password  
=<idm_password>"  
{"access_token": "zRaMnZ5vaWTca5gET0X1x9euYYCx2e",  
"token_type": "Bearer", "expires_in": 3600,  
"refresh_token": "Xm11a090x0nBK2SJ9eDm6pot5nnkEo"}
```

Registered email and password in global IdM must be given

How authentication and authorization work

- Once obtained the OAuth2 token, the user is ready for using all the service APIs
- All the service APIs must include a "X-Auth-Token" header containing the OAuth2 token
- Upon request, the service API will take the token, will query the global Identity Manager (authenticating itself as well) and will receive an answer:
 - If an error is received then the token does not belong to any user; authentication failed
 - If the token belongs to a registered user in the IdM, the user is authenticated and his/her ID, email, etc. is returned
- All service APIs relate to /user/<id>/... resources
 - If the user ID given by the IdM matches the user ID in the resource, the user is authorized to use the resource
 - If not, the authorization is denied

Using the storage endpoint: WebHDFS API

- I/O operations with HDFS
- <https://hadoop.apache.org/docs/current/hadoop-project-dist/hadoop-hdfs/WebHDFS.html>
- liststatus example:

```
$ curl -X GET "http://storage.cosmos.lab.firmware.org:14000/webhdfs/v1/user/<idm_id>?op=liststatus&user.name=<idm_id>" -H "X-Auth-Token: zRaMnZ5vaWTca5gET0Xlx9euYYCx2e"

{"FileStatuses":{"FileStatus": [{"pathSuffix": ".Trash", "type": "DIRECTORY", "length": 0, "owner": "<idm_user>", "group": "<idm_user>", "permission": "700", "accessTime": 0, "modificationTime": 1468519200094, "blockSize": 0, "replication": 0}, {"pathSuffix": "other", "type": "DIRECTORY", "length": 0, "owner": "<idm_user>", "group": "<idm_user>", "permission": "755", "accessTime": 0, "modificationTime": 1458036768315, "blockSize": 0, "replication": 0}]}}
```

Using the storage endpoint: WebHDFS API

- Authentication OK, authorization denied:

```
$ curl -X GET "http://storage.cosmos.lab.fiware.org:14000/webhdfs/v1/user/other?op=liststatus&user.name=<idm_id>" -H "X-Auth-Token: zRaMnZ5vaWTca5gET0Xlx9euYYCx2e"
```

```
Authorization error: user <idm_id> cannot access /webhdfs/v1/user/other
```

- Authentication failed:

```
$ curl -X GET "http://storage.cosmos.lab.fiware.org:14000/webhdfs/v1/user/<idm_id>?op=liststatus&user.name=<idm_id>" -H "X-Auth-Token: dummytoken"
```

```
Authentication error: {"error": {"message": "Access Token dummytoken not found", "code": 404, "title": "Not Found"}}
```

Using the computing endpoint: Tidoop API

- Running and managing MapReduce jobs
- <http://telefonicaid.github.io/fiware-cosmos/api/>
- Job submission: Java .jar containing the job code, the main class and the parameters must be passed as a Json payload

```
$ curl -X POST "http://
computing.cosmos.lab.fiware.org:12000/tidoop/v1/user/
<idm_id>/jobs" -d '{"jar":"jars/hadoop-mapreduce-
examples.jar","class_name":"wordcount","args":
["hdfs://storage.cosmos.lab.fiware.org/user/<idm_id>/
input","hdfs://storage.cosmos.lab.fiware.org/
user<idm_id>/output"]}' -H "Content-Type:
application/json" -H "X-Auth-Token:
zRaMnZ5vaWTca5gET0Xlx9euYYCx2e"
{"success":"true","job_id": "job_1460639183882_5635"}
```

Annotations in the image:
- An arrow points from the text "Java .jar containing the job code, the main class and the parameters must be passed as a Json payload" to the `jar` field in the JSON payload.
- An arrow points from the text "A job ID is obtained" to the `job_id` field in the response JSON.

Using the computing endpoint: Tidoop API

- Job status:

```
$ curl -X GET "http://computing.cosmos.lab.fiware.org:12000/
tidoop/v1/user/<idm_id>/jobs/job_1460639183882_5635" -H
"Content-Type: application/json" -H "X-Auth-Token:
zRaMnZ5vaWTca5gET0Xlx9euYYCx2e"
{"success": "true", "job":
{"job_id": "job_1460639183882_5635", "state": "SUCCEEDED", "start_t
ime": "1475483172262", "user_id": "<idm_id>", "stderr": "...", "stdou
t": "...}}
```

stderr and stdout are returned, for debugging purposes;
future releases will parameterize this as optional

- Kill job:

```
$ curl -X DELETE "http://computing.cosmos.lab.fiware.org:12000/
tidoop/v1/user/<idm_id>/jobs/job_1460639183882_5635" -H
"Content-Type: application/json" -H "X-Auth-Token:
zRaMnZ5vaWTca5gET0Xlx9euYYCx2e"
{"success": "true"}
```

Thanks!



www.fiware.org
@Fiware 